

5/29/2018

Print



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	To
PO039927	ACI001-VC	12	1	Net 30	M4130NS.080	AISI 4130 Steel Sheet : MATERIAL: AISI 4130N STEEL SHEET AS PER OR AS PER AMS 6345 MIL-S- 18729 OR AMS 6350 OR AMS 6351				18	5/29/2018	18		S075399	Stock	5/29/2018	\$ 22.01 / sf	0		\$39
Total:										18		18								\$30:

Plex 5/29/2018 1:01 PM Dart Dubois.Pascal



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit
P0039927	ACI001-VC	1	1	Net 30	M1018R0.187	M1018R0.187 : MATERIAL: AISI 1018-1025 ROUND BAR M1010S20GA AS PER MIL-S-7097 OR ASTM A108 receive ft				12	5/25/2018	12		S074039	Stock	5/24/2018	\$ 0.13 / ft
		2			M304R.313	304 SS Round bar .313 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft						12		S074040	Stock	5/24/2018	\$ 0.91 / ft
		3			M304R.500	304 SS roundbar .500 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft				144		144		S074041	Stock	5/24/2018	\$ 2.33 / ft
		5			MT-4140-R1.625	AISI 4140 Round Bar MATERIAL: AISI 4140 ROUND BAR MINIMUM ROCKWELL C = 20 Rc MAXIMUM ROCKWELL C = 38 Rc SPECIFICATION: ASTM A29, AMS 6349, AMS 6382, AMS 6529				20		20		S074042	Stock	5/24/2018	\$ 10.29 / ft
		9			MT-1144-R0.500	1144 Steel Proof Round Bar 0.500"						24		S074043	Stock	5/24/2018	\$ 1.18 / ft
		11			M6061T6B0.375X1.00	6061T6 Bar .375 X 1.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft				40		40		S074044	Stock	5/24/2018	\$ 1.58 / ft
Total:										248		252					

Plex 5/24/2018 11:35 AM Dart Dubois Pascal



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO039927

Supplier: ACI001-VC
Acier Ouellette Inc.
935 Boul. Du Havre
Valleyfield
QC
J6S 5L1 Canada
Phone: 800 667 4248
Fax: 450 377 5696

PO No: PO039927

PO Date: 5/17/18

Due Date: 5/22/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
Phone: clavoie@dartaero.com

E-MAILED
MAY 17 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments:

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	M1018R0.187		M1018R0.187 : MATERIAL: AISI 1018-1025 ROUND BAR M1010S20GA AS PER MIL-S-7097 OR ASTM A108 receive ft	Firmed	5/22/18	12 ft	0 ft	12 ft	\$0.125833/ft	\$1.51
2	M304R.313		304 SS Round bar .313 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	5/22/18	12 ft	0 ft	12 ft	\$0.91/ft	\$10.92
3	M304R.500		304 SS roundbar .500 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	5/22/18	144 ft	0 ft	144 ft	\$2.3345/ft	\$336.17
Line Item Note 12 length of 12 ft										
4	M303R0.750		303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: 304/316 NOT ACCEPTABLE receive ft	Firmed	5/31/18	12 ft	0 ft	12 ft	\$21.75/ft	\$261.00
5	MT-4140-B-1.000X1.000		4140 Steel Bar 1.000 X 1.000 : AISI 4140N STEEL BAR PER MIL-S-5626, AMS 6382, AMS 6349, AMS 6529 receive ft	Firmed	5/31/18	24 ft	0 ft	24 ft	\$20.41666/ft	\$490.00

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
6	MT-4140-R1.625		AISI 4140 Round Bar MATERIAL: AISI 4140 ROUND BAR MINIMUM ROCKWELL C = 20 Rc MAXIMUM ROCKWELL C = 38 Rc SPECIFICATION: ASTM A29, AMS 6349, AMS 6382, AMS 6529	Firmed	5/22/18	20 ft	0 ft	20 ft	\$10.291/ft	\$205.82
7	MT-4140-R4.000	CUT TO 7" LENGHT	AISI 4140 Round Bar MATERIAL: AISI 4140 ROUND BAR MINIMUM ROCKWELL C = 20 Rc MAXIMUM ROCKWELL C = 38 Rc SPECIFICATION: ASTM A29, AMS 6349, AMS 6382, AMS 6529	Firmed	5/25/18	12 ft	0 ft	12 ft	\$90.69666/ft	\$1,088.36
Line Item Note 2 pcs of 6 ft										
8	MT-4140-S- 2.750X5.000		4140 Steel Sheet 2.750 X 5.000 : MAT'L: AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc ASTM A829, AMS 6395 receive ft	Firmed	5/22/18	12 ft	0 ft	12 ft	\$133.16666/ft	\$1,598.00
Line Item Note 2 pcs of 6 ft										
9	MT-4140-S- 1.250X2.000		AISI 4140 Steel Bar : MATERIAL : AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc ASTM A829, AMS 6395	Firmed	5/22/18	6 ft	0 ft	6 ft	\$35.8333/ft	\$215.00
10	MT-1144-R0.500		1144 Steel Proof Round Bar 0.500"	Firmed	5/22/18	20 ft	0 ft	20 ft	\$1.1755/ft	\$23.51
11	M303B1.000X2.000		303 Bar 1" X 2" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE	Firmed	5/25/18	12 ft	0 ft	12 ft	\$38.91666/ft	\$467.00

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
12	M6061T6B0.375X1.000		6061T6 Bar .375 X 1.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	5/18/18	40 ft	0 ft 40'	40 ft	\$1.575/ft	\$63.00
13	M4130NS.080		AISI 4130 Steel Sheet : MATERIAL: AISI 4130N STEEL SHEET AS PER OR AS PER AMS 6345 MIL-S-18729 OR AMS 6350 OR AMS 6351	Firmed	5/22/18	18 sf	0 sf 18 1/2	18 sf	\$22.005555/sf	\$396.10
Line Item Note 1 PCS 3 FT X 6 FT										
14	MT-4140-S-2.250X3.000		AISI 4140 Steel Sheet 2.250" x 3.000" : MATERIAL : AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc ASTM A829, AMS 6395	Firmed	5/22/18	12 ft	0 ft	12 ft	\$74.3333/ft	\$892.00
Line Item Note 2 pcs of 6 ft										
15	MT-4140-S-0.375X4.500		AISI 4140 Steel Sheet/Plate MAT'L: AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc ASTM A829, AMS 6395	Firmed	5/30/18	12 ft	0 ft	12 ft	\$29.50/ft	\$354.00
Line Item Note 2 pcs of 6 ft										
Grand Total:									\$6,402.39	

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 5/17/18 11:41 AM dart.lavoie.chantal

**ACIER OUELLETTE INC.**

935, Boul. du Havre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl.: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl.: 514-336-4246 Ext.: 866-456-4242

DELIVERY - CLIENT

CO00090245

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

3 paquets

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M

Delivery Route 5

Customer N°	CLI0001056
Date	2018/05/17
Delivery date	2018/05/24
Your order N°	P0039907
Processed by	Eric Kaehlert
Salesman	
Carrier	OUELLETTE VALLEYFIELD
Credit Terme	Net 30 Days
Page	1

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
1 FLAT ALU 3/8 X 1 6061-T6 * FAL-381 2613 2 X 20'	18.00	40.00	PL \$CLB		25		40		DAS 11		MAY 24 2018
LINE#11 Heat : 386294											
2 ROUND CR 3/16 1018 (R) RCR-316 5327 1 X 12' R/L	1.13	12.00	PL \$CLB		12		12		DAS 11		MAY 24 2018
LINE#1 Heat : A33093-5.5											

NIR : R-109516-6

Next Page...



ACIER OUELLETTE INC.

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

DELIVERY - CLIENT

CO00090245

Customer N°

CL10001056

Date

2018/05/17

Delivery date

2018/05/24

Your order N°

Processed by

Eric Kaehliert

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Page

2

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M

Delivery Route 5

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
3 ROUND SS 5/16 304 (R) RSS-516 5773 1 X 12' R/L LINE#2 Heat: 1711046	3.12	12.00	PL_\$CLB		1X 12'1"		12				DAS 11 1889
4 ROUND SS 1/2 304 (R) RSS-12 5730 12 X 12' R/L LINE#3 Heat: 1712154	96.05	144.00	PL_\$CLB		8X 13'2" 2X 13'3" 2X 13'1"		144				DAS 11 2008-89

NIR : R-109516-6

Next Page...



DELIVERY - CLIENT

CO00090245

ACIER OUELLETTE INC.

935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Customer N°

CL10001056

Date

2018/05/17

Delivery date

2018/05/24

Your order N°

Processed by

Eric Kaehlert

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M

Delivery Route 5

Page

3

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
5 ROUND 4140 ANNEALED 1 5/8 (R) R4140-158A 4915 1 X 20' R/L LINE#5	141.02	20.00	PL_\$CLB		15.11		20			DAS 11 9-33 MAY 24 2018	
6 SHEET 4130-080-RANDOM NS FE4130-080 10431 1 X 3 X 6' LINE#12 Heat : NLP4037	33.01	18.00	PL2_\$CLB		14 3X6		to be delivered Friday 18 p.m. MAY 29 2018			DAS 11 9-33 MAY 24 2018	

NIR : R-109516-6

Next Page...



DELIVERY - CLIENT

CO00090245

ACIER OUELLETTE INC.
935, Boul. du Hâvre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Customer N°

CL10001056

Date

2018/05/17

Delivery date

2018/05/24

Your order N°

Processed by

Eric Kaehliert

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.

HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M

Delivery Route 5

Page

4

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only				
				CMD	EXP	B/O	IN	I	S	C	OUT
7 ROUND STRESSPROOF 1/2 (R) RST-12 5795 1 X 20" R/L 2X12" LINE#9 Heat : 20504590	13.36	20.00	PL \$CLB		27		24				MAY 24 2018 DAS 11 9-89

Conditions :

All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc" is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc" to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Total Weight (lbs) : 305.69

NIR : R-109516-6

Prepared By :

Verified By :

Delivered By :

Time

Customer's Signature

Date

Total (\$CAD)

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M4130NS.080
 DATE: MAY 24 2018

PO / BATCH NO.: 039927/5075399

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 18 P12
 QUANTITY INSPECTED: 18 P12
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .080
 THICKNESS RECEIVED: .080
 SHEET SIZE ORDERED: 3x6
 SHEET SIZE RECEIVED: 3x6

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORROSION	Y <input type="radio"/> N <input checked="" type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	Am 56350
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
PHOTO REQUIRED	Y <input type="radio"/> N <input checked="" type="radio"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	Heat # NCPu 4037
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="radio"/> N <input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____
DATE: <u>11 MAY 24 2018</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



DESIGN BRADLEY	DRAWN BY BRADLEY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. M4130N-S	REV. 1
DATE 01.05.17		SHEET 1 of 1 TITLE 4130 SHEET SPEC.	

PURCHASE - AISI 4130N STEEL SHEET
PER ONE THE FOLLOWING
SPEC'S : MIL-B-18729, AMS 6351
OR AMS 6351

[illegible]

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

To: ACIER OUELLETTE

EM#: 170334

PCS: 2

Descrp: .080" CF ALLOY 4130 AQ ANN 36" X 72"

LBS:

MEMO: AMS-6350 HT# NLP4037

15451 N



METALLURGICAL TESTING LABORATORY
15 ROEMER BLVD.
FARRELL, PA 16121
CONTACT: DALE SIDDONS
TELEPHONE: (724) 983-6464 X1298
FAX: (724) 982-4423

CERTIFIED MILL TEST REPORT

Customer: _____ ORDER # 405904-01 CUST. PO# 918238
Address: 123 NORTH 8TH STREET SIZE .080 X 36.000
KENILWORTH, NJ 07033 WT. SHIPPED 34960
HEAT # NLP4037
Phone: 908-497-1480 GRADE/TYPE 4130AQ (Spherodized Annealed) CR
Fax: 908-497-1480 Testing Required: AMS6350H/6351K, ASTM505/506/EN 10204 3.1
Representative: ED HALPN AMS2252D/2301K / (MILS-s-18729)

As Processed Results				E8						
ASTM TEST METHOD				Yield PSI	Ultimate PSI	Elong 2%	Hardness HRBW	Bend Test 1/2T-HW	E-45 Rating 100X	Grain Size 100X
Coil #	Heat #	Gauge	Area							
7960582	NLP4037	.080	.0400	50710	73950	27	80	PASS	0	8

Heat Treated Results*				E18
ASTM TEST METHOD				Hardness HRC
Coil #	Heat #	Gauge		
7960582	NLP4037	.080		37

*Denotes outsourced to independent laboratory (A2LA Accredited)

Date: 6/9/17
Approved By: *M. Las*
Certification Specialist
Benedict-Miller, LLC

Hardness Test Per ASTM E-18	
	Average
Surface (HRA)	78.1
Core (HRA)	78.5

Requirement: The difference in hardness between the surface and core shall not be greater than 2.0

CONFORMANCE: The sample submitted has passed all testing requirements.

By: _____

Metallurgical Laboratory Supervisor

Date: 6-8-17

The information in this report is derived exclusively from material tested and the information and/or specifications furnished to NLMK Pennsylvania by the customer and excludes any expressed or implied warranties as to the fitness of the material tested or analyzed for any particular use.
This report is the confidential property of NLMK Pennsylvania's customer and shall not be reproduced except in full, without written approval of NLMK Pennsylvania.

To: ACIER OUELLETTE

EM#: 170334

PCS: 2

Descrip: .080" CF ALLOY 4130 AQ ANN 36" X 72"

LBS:

MEMO: AMS-6350 HT# NLPU4037



METALLURGICAL TESTING LABORATORY
15 ROEMER BLVD.
FARRELL, PA 16121
CONTACT: DALE SIDDON
TELEPHONE: (724) 983-6464 X1298
FAX: (724) 982-4423

CERTIFIED
TEST REPORT

Address: 123 NORTH 8TH STREET
KENILWORTH, NJ 07033

Phone: 908-497-1477
Fax: 908-497-1480

Representative: ED HALPIN

ORDER # 405904-01 CUST. PO# 918238

SIZE .080 X 36.000

WT SHIPPED 34980

HEAT # NLPU4037

GRADE 4130AQ

Heat Analysis # NLPU4037									
ASTM TEST METHOD: E415 <input type="checkbox"/> or E1019 <input type="checkbox"/> (C & S only when checked)									
(Results are in weight %)									
C	Mn	P	S	Al	Si	Cu	Ni	Cr	Mo
.30	.45	.01	.002	.036	.2	.15	.06	.84	.15
Sn	Ca	B	Nb	Co	V	Zr	Ce	N	Ti

NOTE: MELT AND MFG IN THE USA

- The material supplied is mercury and weld free
- Frequency/severity rating = passed based on Frequency/severity per spec AMS 2301K
(F): 0 / (S): 0

Date: 6/9/17
Approved By: *MJF*
Certification Specialist
Benedict-Miller, LLC

By: _____

Metallurgical Laboratory Supervisor

Date: _____

6-8-17

The information in this report is derived exclusively from material tested and the information and/or specifications furnished to NLMK Pennsylvania by the customer and excludes any expressed or implied warranties as to the fitness of the material tested or analyzed for any particular use.
This report is the confidential property of NLMK Pennsylvania's customer and shall not be reproduced except in full, without written approval of NLMK Pennsylvania.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-1144-R0.500
 DATE: MAY 21 2019

PO / BATCH NO.: 039927/5074043

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 241
 QUANTITY INSPECTED: 241
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.500
 THICKNESS RECEIVED: 0.500
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORROSION	Y <input type="radio"/> N <input checked="" type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	<u>Astm A311</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
PHOTO REQUIRED	Y <input type="radio"/> N <input checked="" type="radio"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	<u>Heat # 20504590</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="radio"/> N <input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>11</u> DATE: <u>9-89 MAY 21 2019</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL : AISI 1144 STRESSPROOF STEEL ROUND BAR
SPECIFICATION: ASTM A311 ϕ UNS G11440
PART NUMBER: MT-1144-R [D.DDD]
WHERE "D.DDD" = DIAMETER IN INCHES
EG. 5/8" ROUND BAR = MT-1144-R0.625

REV.	DESCRIPTION	DATE	BY	APPROVED
A	NEW ISSUE	17.08.08	VM	WM

247.6.12

DART STRESSPROOF Humboldt, Ontario, Canada	
TITLE AISI 1144 STRESSPROOF STEEL ROUND BAR	
DWG NO.	REV
MT-1144-R	A
DESIGN BY: VM 8/9/2017	300 ± .005
CHECKED BY: VM 08/31/2017	300 ± .01
DESIGNED BY: SAC 08/31/2017	300 ± .01
APPROVED BY: VM 08/31/2017	1. DIMENSIONS ARE AS SHOWN
DATE: 8/31/2017	2. UNLESS OTHERWISE SPECIFIED
	3. DIMENSIONAL LIMITS APPLY
	4. DIMENSIONAL LIMITS APPLY
	5. DIMENSIONAL LIMITS APPLY
	6. DIMENSIONAL LIMITS APPLY
	7. DIMENSIONAL LIMITS APPLY
	8. DIMENSIONAL LIMITS APPLY
	9. DIMENSIONAL LIMITS APPLY
	10. DIMENSIONAL LIMITS APPLY
	11. DIMENSIONAL LIMITS APPLY
	12. DIMENSIONAL LIMITS APPLY
	13. DIMENSIONAL LIMITS APPLY
	14. DIMENSIONAL LIMITS APPLY
	15. DIMENSIONAL LIMITS APPLY
	16. DIMENSIONAL LIMITS APPLY
	17. DIMENSIONAL LIMITS APPLY
	18. DIMENSIONAL LIMITS APPLY
	19. DIMENSIONAL LIMITS APPLY
	20. DIMENSIONAL LIMITS APPLY
	21. DIMENSIONAL LIMITS APPLY
	22. DIMENSIONAL LIMITS APPLY
	23. DIMENSIONAL LIMITS APPLY
	24. DIMENSIONAL LIMITS APPLY
	25. DIMENSIONAL LIMITS APPLY
	26. DIMENSIONAL LIMITS APPLY
	27. DIMENSIONAL LIMITS APPLY
	28. DIMENSIONAL LIMITS APPLY
	29. DIMENSIONAL LIMITS APPLY
	30. DIMENSIONAL LIMITS APPLY
	31. DIMENSIONAL LIMITS APPLY
	32. DIMENSIONAL LIMITS APPLY
	33. DIMENSIONAL LIMITS APPLY
	34. DIMENSIONAL LIMITS APPLY
	35. DIMENSIONAL LIMITS APPLY
	36. DIMENSIONAL LIMITS APPLY
	37. DIMENSIONAL LIMITS APPLY
	38. DIMENSIONAL LIMITS APPLY
	39. DIMENSIONAL LIMITS APPLY
	40. DIMENSIONAL LIMITS APPLY
	41. DIMENSIONAL LIMITS APPLY
	42. DIMENSIONAL LIMITS APPLY
	43. DIMENSIONAL LIMITS APPLY
	44. DIMENSIONAL LIMITS APPLY
	45. DIMENSIONAL LIMITS APPLY
	46. DIMENSIONAL LIMITS APPLY
	47. DIMENSIONAL LIMITS APPLY
	48. DIMENSIONAL LIMITS APPLY
	49. DIMENSIONAL LIMITS APPLY
	50. DIMENSIONAL LIMITS APPLY
	51. DIMENSIONAL LIMITS APPLY
	52. DIMENSIONAL LIMITS APPLY
	53. DIMENSIONAL LIMITS APPLY
	54. DIMENSIONAL LIMITS APPLY
	55. DIMENSIONAL LIMITS APPLY
	56. DIMENSIONAL LIMITS APPLY
	57. DIMENSIONAL LIMITS APPLY
	58. DIMENSIONAL LIMITS APPLY
	59. DIMENSIONAL LIMITS APPLY
	60. DIMENSIONAL LIMITS APPLY
	61. DIMENSIONAL LIMITS APPLY
	62. DIMENSIONAL LIMITS APPLY
	63. DIMENSIONAL LIMITS APPLY
	64. DIMENSIONAL LIMITS APPLY
	65. DIMENSIONAL LIMITS APPLY
	66. DIMENSIONAL LIMITS APPLY
	67. DIMENSIONAL LIMITS APPLY
	68. DIMENSIONAL LIMITS APPLY
	69. DIMENSIONAL LIMITS APPLY
	70. DIMENSIONAL LIMITS APPLY
	71. DIMENSIONAL LIMITS APPLY
	72. DIMENSIONAL LIMITS APPLY
	73. DIMENSIONAL LIMITS APPLY
	74. DIMENSIONAL LIMITS APPLY
	75. DIMENSIONAL LIMITS APPLY
	76. DIMENSIONAL LIMITS APPLY
	77. DIMENSIONAL LIMITS APPLY
	78. DIMENSIONAL LIMITS APPLY
	79. DIMENSIONAL LIMITS APPLY
	80. DIMENSIONAL LIMITS APPLY
	81. DIMENSIONAL LIMITS APPLY
	82. DIMENSIONAL LIMITS APPLY
	83. DIMENSIONAL LIMITS APPLY
	84. DIMENSIONAL LIMITS APPLY
	85. DIMENSIONAL LIMITS APPLY
	86. DIMENSIONAL LIMITS APPLY
	87. DIMENSIONAL LIMITS APPLY
	88. DIMENSIONAL LIMITS APPLY
	89. DIMENSIONAL LIMITS APPLY
	90. DIMENSIONAL LIMITS APPLY
	91. DIMENSIONAL LIMITS APPLY
	92. DIMENSIONAL LIMITS APPLY
	93. DIMENSIONAL LIMITS APPLY
	94. DIMENSIONAL LIMITS APPLY
	95. DIMENSIONAL LIMITS APPLY
	96. DIMENSIONAL LIMITS APPLY
	97. DIMENSIONAL LIMITS APPLY
	98. DIMENSIONAL LIMITS APPLY
	99. DIMENSIONAL LIMITS APPLY
	100. DIMENSIONAL LIMITS APPLY

5795

RST-12

48872
#9678
**NIAGARA
LASALLE**
CORPORATION

 1412 160th Street
Hammond IN 46327-1799

CERTIFICATION

CERTIFICATE	Rev
H180769	2
DATE	
08/11/17	
PAGE	
2	

S H I P T O				PURCHASE ORDER B99740									
				ORDER 943870-1									
				CUSTOMER ITEM V715371				ITEM 110500132SP4					
				GRADE STRESSPROOF(R)				SHAPE Round					
				SIZE .5600				SIZE MM 12.7000 MM					
LENGTH 11' 0" / 12' 6"				LENGTH MM 3352.8 / 3810									
STRESSPROOF(R) Spec/Rev: Spec/Rev: ASTM A108-13 Spec/Rev: ASTM A29/A29M-15 Spec/Rev: ASTM A311-04 (2010) CLASS B													
HEAT 20504590		GRAIN PRACTICE COARSE		SOURCE / MELTED CHARTER STEEL - OHIO (USA)				CAST STRAND		REDUCTION RATIO 249.5:1		DI 1.99	
CHEMISTRY													
C	MN	P	S	SI	NI	CR	MO	CU	AL	V			
0.410	1.360	.013	.279	0.180	0.050	0.100	.020	.150	.001	.002			
N	TE	AS	PB	SE	BI	B	NB						
.007	N/A	N/A	N/A	.008	N/A	.0001	N/A						
MECHANICAL													
JOB		TENSILE		2% YIELD		ELONG		R OF A		HARDNESS		.02% YIELD	
HS45598		131,930 PSI		103,107 PSI		14.10		35.80		HRC = 26			
LOT													
LOT		JOB		WEIGHT (LBS)		PIECES		LOT		JOB		WEIGHT (LBS)	
6484326		HS45598		3,830		459							
<p>WE, hereby certify that these goods were produced in compliance with all applicable requirements of sections 6, 7, and 12 of the Fair Labor Standards Act, as amended, and all regulations and orders of the United States Department of Labor issued under section 14 thereof. Material was not exposed to mercury or any metal alloy that is liquid at ambient temperature during processing or while in our possession. No weld repairs performed on the above material.</p>													
CERTIFICATE OF TEST				By: <i>Walter P. Kretzler</i>				Walter P. Kretzler - Director of Q.A./Chief Metallurgist					

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-9140-R1.625
DATE: MAY 24 2018

PO / BATCH NO.: 038927/5074042

MATERIAL CERT REC'D: YES
QUANTITY RECEIVED: 20'
QUANTITY INSPECTED: 20'
QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.625
THICKNESS RECEIVED: 1.625
SHEET SIZE ORDERED: N/A
SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	<u>ASTM A-29</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	<u>Heat # 166873</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u>	SIGNED OFF BY: _____
DATE: <u>9-89 MAY 24 2018</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

8 7 6 5 4 3 2 1

REV.	DESCRIPTION	ECN #	DATE	BY	APPROVED
A	NEW ISSUE	17-790	17.12.13	VM	ML

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL : AISI 4140 ROUND BAR
MINIMUM ROCKWELL C = 20 Rc
MAXIMUM ROCKWELL C = 38 Rc

SPECIFICATION: ASTM A29, AMS 6349, AMS 6382, AMS 6529

PART NUMBER: MT-4140-R-ID.DDD]
WHERE "D.DDD" = DIAMETER IN INCHES
EX. 4" ROUND BAR = MT-4140-R-4.000

DART AEROSPACE		Newbury, Ontario, Canada	
TITLE AISI 4140 ROUND BAR			
PART NO	REV	REV	
MT-4140-R	A	A	
DESIGNED BY: VM 17/12/13 DRAWN BY: VM 12/13/2017 CHECKED BY: ML 12/19/2017 INFO REVIEW BY: DP 12/20/2017 APPROVED BY: ML 12/20/2017			
SCALE: MTS			
SHEET 1 OF 1			
COPYRIGHT © 2017 BY DART AEROSPACE LTD			
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1



Super Steel Treating
6227 Rink Ave
Warren MI 48091
(586) 755-9140
ISO 9001:2008 Registered

Quality Report

Date	Q C ID No.
12/14/16	WOBRI46765

Customer : EATON STEEL CORP

Metallurgist: AJR

Metallurgical Certification

Customer : EATON STEEL CORP PLT#2
Grade : 4140
Size : 1.6250
Heat No : 166873
Receiver : BRI46765
Cust PO : 159621
Mill Notes :
Our Part : EATO5622
Cust Part : 7317

Furnace Process : 1
Date Processed : 12/14/16
Accepted Weight : 23480
Accepted Qty : 3
Mill : EATON
Release No :
Process TY : LPA

WOBRI 809612

Representative Sampling

Sample	Coil ID#	Decarb	FF	-- Mid Radius --	HB	HRC	HRB	HRC	HB	Surface	Microstructure
159226		0.005			205						1004 PEARLITE

Coil/Bundle ID: R166873001 R166873002 R166873003

cert 411029

Eaton Steel Bar Company Inspection Certificate 1640568

EN 10204:2004-3.1

Customer	BOL	Ship Date	Customer PO	Item	Customer Item	Item Description
	210780	08-May-2017	B99087	7317 rev 002	001-0021-12	1-5/8 HR RD 4140HIE 1820H S80 LPA FG MST

All bundles listed below were produced using steel from Heat 166873 issued by ALTON STEEL and were completed from Eaton Steel Job 809612.

Chemistry	Description	Value	Units	Heat Treating	Description	Value	Units
C	Carbon	0.41000	PMGT	AUSTENITIZING	Austenitizing Temp in Fahrenheit	1600 - 1700	DEGF
Mn	Manganese	0.09000	PMGT	MAGNETISM-HT	Magnetism in Gauss	0 - 20	GN
P	Phosphorus	0.00800	PMGT	POST-HT	Machine Straighten	Satisfactory	
S	Sulfur	0.02400	PMGT	TIME AT TEMP	Time at Temperature	Report	
Si	Silicon	0.26000	PMGT	MILL PROCESSING	Description	Value	Units
Ni	Nickel	0.08100	PMGT	MELT COUNTRY	Melted in Country	USA	
Cr	Chromium	0.85600	PMGT	ROLLED COUNTRY	Rolled in Country	USA	
Mo	Molybdenum	0.15800	PMGT	RED RATIO	Reduction Ratio	23.63	RED
Al	Aluminum	0.00100	PMGT	ASTM Standard	Description	Value	Units
Cu	Copper	0.20000	PMGT	A322-91	Steel Heat, Alloy, Standard Grades	CONFORMS	
V	Vanadium	0.02300	PMGT	Structure	Description	Value	Units
Co	Columbium	0.00300	PMGT	PERCENT LP	Percent Laminar Pearlite	70 - 100	PCT
Ca	Calcium	0.00560	PMGT	MICROSTRUCTURE	Reported Microstructure	LP	
N	Nitrogen	0.01020	PMGT	Tag Number	QTY/Units	Length	
DI	Ideal Diameter	4.86000	IN	022-1999377	2275 LBS	18ft	

Cleanliness	Description	Value	Units
MACRO ETCH	Report macro etch results.		

Geometry	Description	Value	Units
DIAMETER	Diameter	1.6094 - 1.6406	IN

Geometry	Description	Value	Units
J1	3/16 inch from Quenched End	56	HRC
J2	2/16 inch from Quenched End	56	HRC
J3	3/16 inch from Quenched End	56	HRC
J4	4/16 inch from Quenched End	56	HRC
J5	5/16 inch from Quenched End	55	HRC
J6	6/16 inch from Quenched End	53	HRC
J7	7/16 inch from Quenched End	52	HRC
J8	8/16 inch from Quenched End	51	HRC
J9	9/16 inch from Quenched End	50	HRC
J10	10/16 inch from Quenched End	47	HRC
J12	12/16 inch from Quenched End	45	HRC
J14	14/16 inch from Quenched End	42	HRC
J16	16/16 inch from Quenched End	41	HRC
J18	18/16 inch from Quenched End	41	HRC
J20	20/16 inch from Quenched End	41	HRC
J22	22/16 inch from Quenched End	39	HRC
J24	24/16 inch from Quenched End	36	HRC
J28	28/16 inch from Quenched End	34	HRC
J32	32/16 inch from Quenched End	34	HRC

Mechanical	Description	Value	Units
BRINELL MID	Brinell Mid Radius	205.0	BRN

Bundles tags with Eaton Steel Identifiers reference the steel grade, heat, purchase order number where applicable, part number, product description and quantity. Material produced in accordance with Eaton Steel's Quality Manual QM-00002 Rev 0 dated 11/21/2013.

We hereby certify the above to be in conformance, and a true copy of data represented in company records. This steel was not subject to weld repair or exposed to mercury while in the possession of Eaton Steel.

Created on 08-May-2017
 The information is prepared by manually electronic
 and processing and it will not have signature
 Thomas Seabes, Corporate Administrator

10221 Capital Avenue, Oak Park, MI 48227 USA
 http://www.eatonsteel.com
 Tel: 248-398-3434
 Fax: 248-398-1434

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 304R 500
 DATE: MAY 24 2018

PO / BATCH NO.: 039977/5074041

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 144'
 QUANTITY INSPECTED: 144'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .500
 THICKNESS RECEIVED: .500
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	<u>Attn A276</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	<u>Heat # 1712154</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>11</u> DATE: <u>9-89 MAY 24 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS ROUND BAR
(NOTE: ~~ASTM A276~~ NOT ACCEPTABLE)

SPECIFICATION: ASTM A276

PART NUMBER: M304R0.750 DIA.

WHERE "D.DDD" = DIAMETER IN INCHES

EG. 0.75" ROUND BAR = M304R0.750

RELEASED
09/08/25

B	REFORMAT DWG. ADD SPECS (ZN D6-1).	CP	09.07.15
A	NEW ISSUE	AJS	08.03.03
REV	DESCRIPTION	BY	DATE
DESIGN	AJS		
DRAWN	gt		
CHECKED	gt		
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	09.07.15		
DART AEROSPACE LTD HAMKESBURY, ONTARIO, CANADA			
DRAWING NO. M304R			
REV. B			
SHEET 1 OF 1			
TITLE			
304/316 ROUND BAR			
SCALE			
NTS			
COPYRIGHT © 2008 BY DART AEROSPACE LTD			
ALL RIGHTS RESERVED. NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.			

5730



CHANDAN STEEL LIMITED

(GOVT. OF INDIA RECOGNISED EXPORT HOUSE)

ISO 9001 : 2008 CERTIFICATE No. IN 100011022

ADM. OFFICE: 404, SUNTI SAGAR, N. S. PATKAR MARG, MUMBAI 400 007, INDIA

Tel.: 91-22- 66290600. Fax.: 91-22-66290633/34

Website : www.chandansteel.net

Email : csl@chandansteel.net

I/c. No.:

I/c. Date:

WORKS: PLOT NO. 31 TO 36, AS/46/48, & 49/2, 142

(EXP. AREA) CIDC, UMBERGAON & SURVEY NO. 102/2 & 3, VILLAGE,

DEHARI, TALUKA UMBERGAON, DIST. VALSAD, GUJARAT - 396171

GSTIN - 24AAACO713B12G

F824 QC 09A / 02 / 10.12.2012

MILL TEST / INSPECTION CERTIFICATE 3.1

ACCORDING TO EN 10204 : 2005

Consignee						Test Certificate No. : EXP/01152 - 08/2017-2018					
						Date of Issue : 03.01.2018					
						P. O. No. : MN5942					
						SC No. & Date : 17-18/00447, Dt. 08.11.2017					
						Invoice No. & Date : EXP/01152/2017-18 Dt. 03.01.2018					
PRODUCT DESCRIPTION STAINLESS STEEL ROUND BARS						LENGTH		Net Wt.			
						Ordered	Actual				
						12' - 14'	12' - 14'	4680 Lbs.			
Heat No.	Grade	Size	Tolerance		Process Route						
1712154	304L	1/2"	h9		Electric Melting, A.O.D. Refining, Continuous Casting						
CHEMICAL COMPOSITION (Weight %)											
	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	Ti	N
Min.	-	-	-	-	-	18.00	-	8.00	-	-	-
Max.	0.030	1.00	2.00	0.045	0.030	20.00	-	12.00	-	-	-
Results	0.028	0.33	1.56	0.038	0.008	18.02	-	8.02	-	-	-
MECHANICAL PROPERTIES											
Specified	Yield Strength		Tensile Strength		Elongation		Reduction of Area		Hardness		
Value	N/mm ² /MPa (Rp0.2)		N/mm ² /MPa (Rm)		%		%		(HB)		
Min.	310		620		30		40		-		
Max.	-		-		-		-		-		
Results	534		737		38		65		229-232		
Remarks:											
1. Cold drawn & Centreless Ground.											
2. Solution annealed at 1050 °C.											
3. PMI test done 100% & found Satisfactory.											
4. Material is free from radio-active contamination.											
5. Inter-Granular Corrosion Test as per ASTM A262 - 15 (Pr.E) satisfactory.											
6. The material conforms to ASTM A276-15/A182-15/A479-15 & ASME SA479-13 Specifications.											
7. Location of sample - Centre, Direction - Longitudinal, Test Temp - Room Temp., Shape of Test Piece - Round.											
8. Marking details - Company Logo, Size, Grade & Heat No.											
9. The material is manufactured /melt in Chandan Steel Mill and is of Indian Origin.											
10. No welding/weld repairs was performed on this material.											
BUNDLE NO.: 32, 33, 35 & 36											

It is hereby certified that the above results are true and correct in every details and are meeting the requirements of specification & purchase order.

Page 8 of 26

B. S. RAUTELA
MANAGER - QUALITY ASSURANCE



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304R.313
 DATE: MAY 24 2018

PO / BATCH NO: 039927/5074040

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .313
 THICKNESS RECEIVED: .313
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	Astm A276
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	Heat # 1711046
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>11</u>	SIGNED OFF BY: _____
DATE: <u>8-89 MAY 24 2018</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS ROUND BAR
(NOTE: AISI 303 NOT ACCEPTABLE)

△ SPECIFICATION: ASTM A276
PART NUMBER: M304R0.750 DIA.

WHERE "D.DDD" = DIAMETER IN INCHES
EG. 0.75" ROUND BAR = M304R0.750

RELEASED
08/25/15

B	REFORMAT DWG. ADD SPECS (ZN D6-1). REF PAR 08-020A	CP	08.07.15
A	NEW ISSUE	AJS	08.03.03
REV.	DESCRIPTION	BY	DATE
DESIGN	ALS		
DRAWN	AL		
CHECKED	AL		
MFG. APPR.	AL		
APPROVED	AL		
DE APPR.	AL		
DATE	09.07.15		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		REV. B	
DRAWING NO. M304R		SHEET 1 OF 1	
TITLE 304/316 ROUND BAR		SCALE NTS	
COPYRIGHT © 2008 BY DART AEROSPACE LTD. THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.			

5773



RSS-516

CHANDAN STEEL LIMITED

(GOVT. OF INDIA RECOGNISED EXPORT HOUSE)

50780

15622

ISO 9001 : 2008 CERTIFICATE No. 04 100 012022

ADM. OFFICE: 5th FLOOR, SAGAR, N. S. PATKAR MARG, NICOLAI BOMBAY, INDIA

Tel: 91-22-66290600, Fax: 91-22-66290633/34

Website: www.chandansteel.net

Email: cs@chandansteel.net

I/c. No:

I/c. Date:

WORKS: PLOT NO. 31 TO 36, 45, 46, 48, & 49/2, 142

(EXP. AREA) GIDC, UMBERGAON & SURVEY NO. 102/2 & 3, VILLAGE,

DEHARI, TALUKA: UMBERGAON, DIST: VALSAD, GUJARAT - 396171

GSTIN - 24AAAAC04213B12G

P824 QC 09A / 02 / 10.12.2012

MILL TEST / INSPECTION CERTIFICATE 3.1

ACCORDING TO EN 10204 : 2005

Consigner				Test Certificate No. : EXP/01209 - 02/2017-2018 Date of Issue : 24.01.2018 P. O. No. : BN5943 SC_No. & Date : 17-18/00448, Dt.18.11.2017 Invoice No. & Date : EXP/01209/2017-18 Dt.24.01.2018							
PRODUCT DESCRIPTION STAINLESS STEEL ROUND BARS				LENGTH				Net Wt.			
				Ordered		Actual		4065 Lbs.			
				12' - 14'		12' - 14'					
Heat No.	Grade	Size	Tolerance	Process Route							
1711016	304L	5/16"	h9	Electric Melting, A.O.D. Refining, Continuous Casting							
CHEMICAL COMPOSITION (Weight %)											
	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	Ti	N
Min.	-	-	-	-	-	18.00	-	8.00	-	-	-
Max.	0.030	1.00	2.00	0.045	0.030	20.00	-	12.00	-	-	-
Results	0.026	0.38	1.56	0.041	0.014	18.35	-	8.09	-	-	-
MECHANICAL PROPERTIES											
Specified	Yield Strength		Tensile Strength		Elongation		Reduction of Area		Hardness		
Value	N/mm ² /MPa (Rp0.2)		N/mm ² /MPa (Rm)		%		%		(HB)		
Min.	310		620		30		40		-		
Max.	-		-		-		-		-		
Results	610		790		35		65		242-245		
Remarks:											
1. Cold drawn & Centreless Ground. 2. Solution annealed at 1050 °C. 3. PMI test done 100% & found Satisfactory. 4. Material is free from radio-active contamination. 5. Inter-Granular Corrosion Test as per ASTM A262 - 15 (Pr.E) satisfactory. 6. The material conforms to ASTM A276-15/A182-15/A479-15 & ASME SA479-13 Specifications. 7. Location of sample - Centre, Direction - Longitudinal, Test Temp - Room Temp., Shape of Test Piece - Round. 8. Marking details - Company Logo, Size, Grade & Heat No. 9. The material is manufactured/melt in Chandan Steel Mill and is of Indian Origin. 10. No welding/weld repairs was performed on this material.											
BUNDLE NO.: 2, 3 & 4											



It is hereby certified that the above results are true and correct in every details and are meeting the requirements of specification & purchase order.

B. S. RAUTELA
MANAGER - QUALITY ASSURANCE

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M1018RO.187
 DATE: MAY 24 2018

PO / BATCH NO.: 039927/5074039

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.187
 THICKNESS RECEIVED: 0.187
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORROSION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input type="radio"/> N	<u>Astm A108</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N	
PHOTO REQUIRED	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N	<u>Heat # A33093-5.5</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="radio"/> N <input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>11</u> DATE: <u>9-89 MAY 24 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 1018-1025 ROUND BAR
SPECIFICATION: MIL-S-7097 OR ASTM A108
PART NUMBER: M1018-R10.DDD WHERE DDDD = DIAMETER IN INCHES
DIA.

EG. 7/8" ROUND BAR = M1018-R0.875

TOLERANCES: PER ASTM A108 AS FOLLOWS:

SIZE TOLERANCE
UP TO 1.5" INCL. +0.000/-0.002
OVER 1.5" TO 2.5" INCL. +0.000/-0.003
OVER 2.5" TO 4.0" INCL. +0.000/-0.004
OVER 4.0" TO 6.0" INCL. +0.000/-0.005
OVER 6.0" TO 8.0" INCL. +0.000/-0.006

RELEASED
2012-09-24

B	REFORMAT: ADD ASTM A108, ADD TOLERANCES	CP	12 09 05
A	NEW ISSUE	DS	01 06 12
REV	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	CP		
CHECKED	CP		
MFG APPR.	CP		
APPROVED	CP		
DE APPR.	CP		
DATE	12.09.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M1018-R			
REV. B			
SHEET 1 OF 1			
SCALE			
1018-1025 ROUND BAR			
NTS			
COPYRIGHT © 2001 BY DART AEROSPACE LTD			
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.			

5327

RCR-316

50219

14019



INDWISCO LIMITED
1-9010 KEELE ST
CONCORD, ONTARIO
CANADA L4K 2N2

Order number: 67461-1
 Account: 432
 Printed: Jan 09, 2018
 Page: 1

Material Test Report

Bill to	Ship to
---------	---------

Order Details

P.O.: B39410	Ordered: Dec 15, 2017	Due: Jan 12, 2018	Shipped: Dec 15, 2017
Taken by: JENNINE		Christine	

Items Ordered

Grade	Dia	Format	Heat Number(s)	Description
C1018	0.1870	CUT LENGTHS	A33093-5.5	Material: C1018 Diameter: 0.1870 Tol: +/-0.0 Pieces: 1782 @ 144.0000 145
C1018	0.2500	CUT LENGTHS	A32988-7.0	Material: C1018 Diameter: 0.2500 Tol: +/-0.0 Pieces: 4984 @ 144.0000 444
C1018	0.3120	CUT LENGTHS	A32418-9.0	Material: C1018 Diameter: 0.3120 Tol: +/-0.0 Pieces: 1600 @ 144.0000 444

Chemical Analysis by Heat Number

Heat number	Carbon	Silicon	Manganese	Phosphorus	Sulphur	Copper	Nickel	Chromium	Molybdenum	Nitrogen	Aluminum
A32418-9.0	0.1700	0.2100	0.6500	0.0080	0.0170	0.2000	0.0700	0.0600	0.0200	0.0090	0.0020
A32988-7.0	0.1600	0.1900	0.7500	0.0090	0.0120	0.1400	0.0600	0.1100	0.0200	0.0070	0.0020
A33093-5.5	0.1600	0.2100	0.6600	0.0160	0.0130	0.2400	0.0700	0.1300	0.0200	0.0070	0.0020

Physical Properties

Grade	Finished Diameter	Heat Number	Rod Diameter	Tensile PSI	Yield PSI	Elongation %	Reduction of Area %	Brinell	Rockwell B
C1018	0.3120	A32418-9.0	0.3540						
C1018	0.2500	A32988-7.0	0.2760						
C1018	0.1870	A33093-5.5	0.2180						

Specifications

Grade	Specifications
C1018	Low carbon Steel ASTM: A29, A108, A510

I hereby certify that the above data is correct as contained in the records of INDWISCO LIMITED.

Date: Jan 9/18	Signature: Jennine Sams
----------------	-------------------------

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6B0.375x1.000

PO / BATCH NO.: 03F927/5074044

DATE: MAY 24 2018

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 40
 QUANTITY INSPECTED: 40
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.375
 THICKNESS RECEIVED: 0.375
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	<u>Astm B221</u>
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	<u>Heat #3B6294</u>
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>11</u>	SIGNED OFF BY: _____
DATE: <u>9-89 MAY 24 2018</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR

SPECIFICATION: QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221

PART NUMBER: M6061T6B | T.TTT | X | WW WWW
THICK | WIDTH

WHERE "T.TTT" = THICKNESS IN INCHES
"WW.WWWW" = WIDTH IN INCHES

E.G. 1.0" X 12.0" BAR = M6061T6B1 000X12.000

RELEASED
2009-09-03
MD

B	REMOVE QQ-A-250/11 OPTION, REFORMAT NOTES, ADD ASTM B211/B221 (Zn D7-1)	CP	09.07.13
A	NEW ISSUE	DS	01.06.08
REV	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	DS		
CHECKED	AS		
MFG. APPR.	M6061T6B		
APPROVED	TITLE		
DE APPR.	6061-T6 BAR		
DATE	09.07.13		

COMPANY: DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
REV. B
SHEET 1 OF 1
SCALE
NTS

THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.

Material Test Report

Manifest: 326918

Ticket:
5547054

Our Order: 437184 - 1

Cust P.O.: 4500819317

Die: ES05691

Part: 163000029

Alloy Temper: 6061 T6511

Description: 375 x 1.000

Print Date: 7/9/17

Chemical Composition

Maximum

<u>CastNum</u>	<u>Si</u>	<u>Fe</u>	<u>Cu</u>	<u>Mn</u>	<u>Mg</u>	<u>Cr</u>	<u>Zn</u>	<u>Ti</u>	<u>OtherEach</u>	<u>OtherTotal</u>
3B6294	0.61	0.19	0.23	0.04	0.85	0.06	0.01	0.02	0.05	0.15

Mechanical Properties

Strength ksi

<u>Sample ID</u>	<u>Cast #</u>	<u>Lot #</u>	<u>Test Date</u>	<u>Ultimate Tensile</u>	<u>Yield 2% offset</u>	<u>Elongation 2" gage length</u>
427350	3B6294	A11	7/7/17	46.28	40.04	14.4


Applicable Specifications: ASTMB221-14 AMS-QQ-A200/8A

Country of Origin: ONTARIO, CANADA

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Rahul Tiwari - Tensile Testing

Authorized:


Evan Eng, Quality Assurance Manager